


T.3N___R.2W___2nd Mer.



 The figures on the lines refer to the page.

Township No. 3. North of Range No. 2 West 2nd Mer.

ch. 2. Sec.

West Between Sec. 21. & 28. T. No. 3 N. R. No. 27 N.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Tree 12 in dia. bears S. 60 W. 20 links dist; 10
 Do 30 n n n N 45 E 28 n n
 80.00 Intersect the N. & S line at the post set for the cor. to sec.
 20. 21. 28. & 29. Finish rate Tree on Oak Hill

West Between Sec. 20. & 29. T. No. 9 N. R. No. 27 N.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Tree 6 in dia bears N 67 E. 29 links dist; 10
 Do 11 n n n S 69 W 24 n n
 80.00 To the post set for the cor. to sec. 19. 20. 29. & 30.
 Same 3rd rate Tree & Oak Hill

West Between Sec. 19 & 30 T. No. 2 N. R. No. 27 N.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Tree 10 in dia bears S 72 W. 16 links dist; 10
 Do 9 n n n S 20 E. 12 n n
 80.80 To Bartons post cor. to sec. 24 & 25. T. No. 3. N. R.
 No. 37 N. 3rd rate Tree & Oak Hill

West Between Sec. 27. & 34 T. No. 2 N. R. No. 27 N.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Tree 12 in dia bears S 13 E. 16 links dist; 10
 Do 10 n n n S 71 E. 17 n n
 80.00 To the post set for the cor. to sec. 27. 28. 33. & 34.
 Same 3rd rate Tree & Oak Hill

West Between Sec. 28. & 33 T. No. 2 N. R. No. 27 N.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Tree 12 in dia bears S 63 E 15 links dist; 10
 Elm 6 n n n N 75 W 13 n n
 66.00 Iron Run 15 links miles between South.
 80.00 To the post set for the cor. to sec. 28. 29. 32. & 33.
 Same post Tree on a Oak Hill
 T. No. 3 N. R. No. 27 N.

T. N. 3 N. H. N. 2 W. 2nd Mer (Ind. 2)

West Between Sep. 29, 132 T. N. 3 N. H. N. 2 W.
 1.00 To a small drain bearing South.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Birch 16 in dia bears N 25 W. 24 links dist; 10
 Ho Oak 16 in ~ S 52 E. 14 ~ ~
 80.00 To the post set for the cor. to sub. 29, 30, 31. & 32
 Lands 3rd rate; Birch & Oak Heille.

West On the town line between Sep. 30 & 31. T. N. 2 N. H.
 N. 2 W.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 W Oak 8 in dia bears North 28 links dist; 10
 Elm 12 ~ ~ S 5 E. 15 ~ ~
 80.70 To Bartus post set for the cor. to sub. 25 & 36 T. N.
 3. N. H. N. 3 W. Lands from town Heille
 W. Brush saplings and trees.

West Between Sep. 24, 125 T. N. 3 N. H. N. 2 W.
 40.00 Marked the cor. to $\frac{1}{4}$ sec. on a W Oak 16 in dia.
 80.00 To the post set for the cor. to sub. 23, 24, 25 & 26.
 Lands 3rd rate 1 Birch & Oak Heille.

West Between Sep. 23 & 26 T. N. 3 N. H. N. 2 W.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. Made the cor. on a
 W Oak 12 in dia
 80.00 To the post set for the cor. to sub. 22, 23, 26 & 27.
 Lands 3rd 1 Birch & Oak Heille

West Between Sep. 22, 127. T. N. 3 N. H. N. 2 W.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Red Oak 16 in dia. bears N 41 E. 13 links dist; 10
 B. Oak 20 ~ ~ S 78 W. 30 ~ ~
 80.00 To the post set for the cor. to sub. 21, 22, 27 & 28.
 Lands 3rd & 2nd rate 1 Birch & Oak Heille Lands

North On the East Boundary of sec. 24 T. N. 3 N. H. N. 2 W.

T. N. 3 N. R. N. 2 W. 2nd Mer. Sec.

34.28	Iron N. Oak 24 in dia. Stands in the line
40.00	Set apart for the cor. to $\frac{1}{4}$ sec. from which ω Poplar 30 in dia. base N 83 E. 21 miles dist; 1 ω Buck 6 ω ω ω N 57 W. 23 ω ω
37.65	Iron N. Oak 18 in dia. Stands in the line.
80.00	Set apart for the cor. to Sec. 13 & 24 of T. N. 3 N. R. N. 2 W. from which ω Buck 6 in dia. base N 29 W. 22 miles dist; 1 ω Ho 18 ω ω ω N 63 E. 32 ω ω Lands 2 nd & 3 rd rate Buck & Oak Uplands.
North	On the East Boundary of Sec. 13 T. N. 3 N. R. N. 2 W.
25.60	Top Buck 18 in dia. Stands in the line.
40.00	Set apart for the cor. to $\frac{1}{4}$ sec. from which ω Gum 24 in dia. base North 29 miles dist; 1 ω Logwood 6 ω ω ω S 8 E. 18 ω ω ω
63.30	Iron Poplar 40 in dia. Stands in the line.
80.00	Set apart for the cor. to Sec. 12 & 13 T. N. 3 N. R. N. 2 W. from which ω Buck 16 in dia. base. N 22 W. 50 miles dist; 1 ω N Oak 18 ω ω ω N 76 E. 35 ω ω ω 2 nd & 3 rd rate Uplands Limbs Buck, Poplar & Oak
North	On the East Boundary of Sec. 12 T. N. 3 N. R. N. 2 W.
37.13	Iron N. Oak 14 in dia. Stands in the line.
40.00	Set apart for the cor. to $\frac{1}{4}$ sec. from which ω Buck 18 in. dia. base N 81 W. 27 miles dist; 1 ω Sugar 12 ω ω ω N 37 E. 28 ω ω ω
46.50	Introduction Freeman's line are to set apart at the Inter- section for the cor. to Sec. 12. from which ω Buck 14 in dia. base N 41 W. 26 miles dist; 1 ω Sugar 11 ω ω ω S 3 E. 16 ω ω ω Lands 2 nd rate Uplands; Limbs Oak, Poplar, Buck and Sugar. T. N. 3 N. R. N. 2 W.

T. P. 3. N. R. N. 277. 2nd & 3rd. (Ind. 2)

North Return Jul 25 & 26. T. P. 3. N. R. N. 277.
 25.60 Iron B. Oak 30 in dia stands in the line.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which
 W. Oak 12 in dia beam N10 W. 36 links dist; to
 Beech 12 in " " S68 E. 10 " "
 61.00 To a W. Oak 18 in dia stands in the line.
 80.00 Set a post for the cor. to sec. 23, 24, 25 & 26. from which
 a Beech 16 in dia beam N22 W. 58 links dist; to
 Ho 10 in " " S88 W. 43 in "
 Land 2nd & 3rd rate; Siding replant; Timber Poplar, Gum, Oak, & Beech.

North Return Jul. 23 & 24 T. P. 3. N. R. N. 277.
 40.50 Set a post for the cor. to $\frac{1}{4}$ sec. from which
 Hickory 30 in dia beam N65 E. 5 links dist; to
 Dogwood 10 in " " S65 W. 26 in "
 57.50 To a Beech 16 in dia stands in the line.
 80.00 Set a post for the cor. to sec. 13, 14, 23 & 24 from which
 a Dogwood 10 in dia beam N40 E. 15 links dist; to
 W. Oak 30 in " " S43 W. 18 in "
 2nd & 3rd rate Beech & Oak Hedges

North Return Jul. 13 & 14 T. P. 3. N. R. N. 277.
 21.50 To a Hickory 15 in dia stands in the line
 40.00 Marked the cor. to $\frac{1}{4}$ sec. in a Beech 10 in dia.
 56.45 To a Poplar 36 in dia stands in the line
 80.00 Set a post for the cor. to sec. 11, 12, 13 & 14 from which
 a Beech 14 in dia beam S78 W. 37 links dist; to
 Ho 14 in " " N72 E. 36 in "
 Land 1st & 2nd rate Hedges; Timber Beech Oak
 and Poplar.

North Return Jul. 11 & 12 T. P. 3. N. R. N. 277.
 25.18 To a Sugar 12 in dia stands in the line
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which
 W. Oak 18 in dia beam S69 E. 14 links dist; to

137

T. N. 3 N.R. N. 2 W. 2nd Mer (Ind. 2)

4430 W Oak 12 in dia below N10 E. 14 miles dist
 Intersection Tremaine line and set a post for the
 cor. to fract. Sec. 11. & 12 from which a
 Buck 12 in dia below N68 W. 28 miles dist & a
 Maple 10 in dia below S21 E. 31 in dia
 First rate uplands; White Heron; Timber Buck -
 Sugar tree & Oak

West Between Secs 12 & 13. T. N. 3 N.R. N. 2 W.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Poplar 7 in dia below
 80.00 Intersection the N.S. line at the post set for the cor.
 to Secs 12 11 13. & 14; Thin uplands; a few Oak
 Buck & Poplar for timber

West Between Secs 26 & 35. T. N. 3 N.R. N. 2 W.
 40.00 Marked the cor. for the 1/4 sec. on a Gum 24 in dia
 80.00 Intersection the N.S. line at the post set for the cor. to
 Secs 25, 26, 35, & 36. 3rd rate uplands; Timber
 Buck Oak, Gum & Heron

West Between Secs 13 & 24. T. N. 3 N.R. N. 2 W.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Buck 12 in dia below N. 35 E. 15 miles dist & a
 W Oak 18 in dia below N12 W. 16 in dia
 80.00 Intersection the N.S. line at the post set for the cor. to
 Secs 13, 14, 23, & 24. Most of 3rd rate Hill lands.

West Between Secs 14 & 23. T. N. 3. N.R. N. 2 W.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Maple 10 in dia below S85 W. 36 miles dist; 10
 Buck 12 in dia below N7 W. 30 in dia
 80.00 Intersection the N.S. line at the post set for the cor. to
 Secs 14, 15, 22, & 23. 3rd rate Oak & Log cross uplands

West Between Secs 15 & 22. T. N. 3. N.R. N. 2 W.

T. N. 3 N. R. N. 2 W. 2nd Mer. (Ind. 4)

- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Beck 18 in dia. bore S 31 W. 9 miles dist; to
do 20 " " " N 80 W. 20 " " "
- 80.00 Intersected the N. & S. line at the first set for the cor.
to Sec. 15, 16, 21 & 22. Land flat Oak & maple

- West Between Sec. 16 & 21 T. N. 3 N. R. 2 W.
- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Beck 6 in dia. bore N 37 W. 17 miles dist; to
do 12 " " " S 6 W. 24 " " "
- 80.00 Intersected the N. & S. line at the first set for the cor. to
Sec. 16, 17, 20 & 21. 2nd & 3rd rows Beck & Oak hills

- West Between Sec. 17 & 20 T. N. 3 N. R. N. 2 W.
- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Beck 8 in dia. bore N 36 W. 11 miles dist; to
Beck 6 " " " S 48 E. 7 " " "
- 44.00 Iron Bore 8 miles dist; leave West line kept
on the South side of D. creek $\frac{3}{4}$ of a mile.
- 80.00 Intersected the N. & S. line at the first set for the cor.
to Sec. 16, 17, 24 & 21. 2nd row lands; Iron
Oak, Beck and Poplar.

- West Between Sec. 18 & 19 T. N. 3 N. R. N. 2 W.
- 40.00 Marked the cor. to $\frac{1}{4}$ sec. on a Beck 10 in dia.
- 52.00 Iron Bore 20 miles dist; leave N.
- 80.00 Intersected the N. & S. line at Barbours first cor.
to Sec. 13, 24 T. N. 3 N. R. N. 3 W.
Land mostly rich bottom; Iron Beck & Oak

- West Between Sec. 11 & 14 T. N. 3 N. R. N. 2 W.
- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Beck 16 in dia bore N 40 W. 20 miles dist to
do 14 " " " N 69 E. 34 " " "
- 80.00 Intersected the N. & S. line at the first set for the cor. to
Sec. 10, 11, 14 & 15 Land 2nd & 3rd rows Beck & Oak hills

I No 3 N.R. No 2 W. 2nd rate New. And.

West Between Sep. 10. & 15 I No 3 N.R. No 2 W.
 10.50 To an Oak 20 miles min. hence it.
 40.00 Marked the cor. to $\frac{1}{4}$ sec. on at Buck 20 in dia.
 80.00 Intersected the N. & S. line at the post set for the cor.
 to Sep. 9. 10. 15 & 16. 3rd rate Buck Hills

East Between Sep. 2 & 11. I No 3 N.R. No 2 W.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Buck 14 in dia. line S 50 E. 20 miles dist; to
 No 23 " " " N 75 E. 54 " "
 65.00 Intersected Streamline line and set a post for the cor.
 to Sep. 2 & 11. from which a
 Buck 14 in dia. line S 50 E. 20 miles dist; to
 No 23 " " " N 75 E. 54 " "
 2nd rate; in place; S. line; Intersected Buck Clark

North Between Sep. 33 & 34 I No 3 N.R. No 2 W.
 9.30 To a Buck 14 in dia. distance in the line.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 line 15 in dia. line N 71 E. 10 miles dist; to
 Sugar 8 " " " S 80 W. 21 " "
 61.20 To a West of line in distance in the line
 80.00 Set a post for the cor. to Sep. 27. 28. 33. & 34. from which
 a Buck 14 in dia. line S 54 E. 30 miles dist; to
 No 8 " " " N 55 E. 42 " "
 Same line in flat ridges to 2nd rate.

North Between Sep. 27. & 28. I No 9. N.R. No 2 W.
 5.50 To an Oak 36 in dia. at end in the line.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Buck 10 in dia. line S 51 E. 10 miles dist; to
 N Oak 11 " " " N 70 W. 14 " "
 79.15 To a Buck 12 in dia. distance in the line.
 80.00 Set a post for the cor. to Sep. 21. 22. 27. & 28. from
 which a Buck 18 in dia. line N 82 E. 24 miles dist; to
 20 by road 7 in dia. line S 23 E. 26 miles dist;

T. N. 3. N. R. N. 27. 2nd 46 Mer. (In d.°)

Some dirt and timber same as the last mile

North Return Dec. 21. 120 T. N. 3. N. R. N. 27.
 28.00 To a W. Oak 24 in. dia stands in the line.
 40.00 Set a post for the cor. to 1/4 sec. from which
 Back 30 in dia. beam S32 W 8 miles dist; to
 do 20 n n n N32 E. 17 n n
 67.50 To a Back 14 in dia stands in the line.
 80.00 Set a post for the cor. to sec. 15. 16. 21. 822 from which
 a Back 20 in dia. beam N10 W. 40 miles dist; to
 do 10 n n n S56 E 32 n n
 Flaw of the land, Some dirt & some as last mile

North Return Dec. 15 & 16. T. N. 3. N. R. N. 27.
 7.00 To a Sugar 18 in dia stands in the line
 40.00 Set a post for the cor. to 1/4 sec. from which
 Back 20 in dia beam S56 E. 23 miles dist; to
 Logwood 7 n n n N52 W 14 n n
 49.25 To a Back 9 in dia stands in the line.
 80.00 Set a post for the cor. to sec. 9. 10. 15 & 16 & made cor. on
 a Back 11 in dia Some dirt and timber same as
 on the last mile.

North Return Dec. 9. & 10. T. N. 3. N. R. N. 27.
 32.00 To a Maple 18 in dia stands in the line
 40.00 Set a post for the cor. to 1/4 sec. from which
 23 Oak 8 in dia. beam N11 E. 8 miles dist; to
 do 32 n n n S32 W. 9 n n
 46.50 To a Oak 8 in dia stands in the line.
 80.00 To a Back 7 n n stands for the cor. to sec. 3 & 4.
 9 & 10. Flaw of the land, dirt timber &c same as
 on the last mile. Dec. 18th

North Return Dec. 3 & 4. T. N. 3. N. R. N. 27.
 12.00 To a Elm 30 miles dist; corner to
 15.50 To a Butternut 11 in dia stands in the line

141

T. N. 3. N. R. N. 27. 2nd Mer. (Lind.)

- 40.00 Set a post for the cor. to 1/4 sec. from which a
 73 Oak 7 in dia. bears N 31 E. 17 miles dist. to
 do " " " " S 10 W. 14 " "
- 50.70 Interspersed Spruce line and set a post for the
 cor. to sec. 3. & 4. from which a
 42 Oak 30 in dia. bears S 45 W. 18 miles dist. to
 Sugar " " " " N 82 E. 25 " "
 Good soil and timber same as in the last mile

- North Return Sec. 34 & 35 T. N. 3. N. R. N. 27.
- 40.00 Set a post for the cor. to 1/4 sec. from which a
 73 Oak 20 in dia. bears S 24 W. 11 miles dist. to
 Sugar 8 " " " " N 32 E. 13 " "
- 80.00 Set a post for the cor. to sec. 26, 27, 34 & 35 from which
 a 73 Oak 18 in dia. bears S 10 E. 4 miles dist. to
 do " " " " N 37 E. 28 " "
 Good hilly 3rd rate; Timber Oak & Log wood

- North Return Sec. 26 & 27 T. N. 3. N. R. N. 27.
- 35.00 Iron Buck 24 in dia. stands in the line
- 40.00 Set a post for the cor. to 1/4 sec. from which a
 73 Oak 8 in dia. stands S 83 E. 13 miles dist. to
 do 7 " " " " N 69 W. 17 " "
- 65.80 Iron Buck 36 in dia. stands in the line
- 80.00 Iron Poplar 14 in dia. stands for the cor. to sec. 22,
 23, 26 & 27 Good hilly 2nd rate; Timber Oak from
 Buck; Poplar &c.

- North Return Sec. 22, 23 T. N. 3. N. R. N. 27.
- 32.00 Iron Buck 18 in dia. stands in the line.
- 40.00 Set a post for the cor. to 1/4 sec. from which a
 73 Oak " in dia. bears S 47 E. 29 miles dist. to
 Poplar 7 " " " " N 26 W. 9 " "
- 80.00 Set a post for the cor. to sec. 14, 15, 22, & 23. from which
 a 73 Oak 18 in dia. bears S 60 W. 8 miles dist. to
 do 10 " " " " S 81 E. 24 " "

143

T. N. 3. N. R. N. 2 W. Lands Mr. (Ind.)

Lands first made timber same as the last one

North Return Sep. 32. 133. T. N. 3. N. R. N. 2 W.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 43 Walnut 7 in dia. bears S 19 E. 5 links dist; to
 Chestnut 7 in " " West 14 " "
 46.00 To a Gum 15 links dist; corner East
 73.00 To a Sugar 17 in dia. Stands in the line.
 77.50 To a Gum 40 links dist; corner S 30 E.
 80.00 Set a post for the cor. to Sep. 28, 29, 33 & 32 from which
 a Beech 8 in dia. bears N 83 W 25 links dist; to
 Poplar 30 " " " N 28 E. 24 " "
 Willy 3rd rate; some few Oaks

North Return Sep. 28. & 29. T. N. 3. N. R. N. 2 W.
 31.00 To a W Oak 36 in dia. Stands in the line.
 40.00 To a Gum 8 in dia. bears South 15 links dist; to
 Beech 8 " " " S 85 W 11 " "
 The above bearings stand for the cor. to 1/4 sec.
 67.00 To a Beech 12 in dia. Stands in the line.
 80.00 Set a post for the cor. to Sep. 20, 21, 28. & 29. T. N. 3. N.
 R. N. 2 W. from which a
 Beech 11 in dia. bears N 64 E. 13 links dist; to
 Hy " " " S 13 W 8 " "
 Willy 3rd rate lands; some few Oaks.

North Return Sep. 31. & 32. T. N. 3. N. R. N. 2 W.
 26.00 To a W Oak 20 in dia. Stands in the line.
 40.00 To a Sugar 8 " " " for the cor. to 1/4 sec.
 57.50 To a Gum 18 " " " in the line.
 80.00 Set a post for the cor. to Sep. 29, 30, 31. & 32. From which
 a Poplar 8 in dia. bears S 28 W. 24 links dist; to
 Do " " " N 68 W. 33 " "
 Willy 3rd rate lands; some few Oaks.

North Return Sep. 30. 139. T. N. 3. N. R. N. 2 W.

T. N. 3. N. R. N. 2 W. 2nd Mer. (Ind. 2)

- 8.00 Log Buck 12 in dia Stands in the line.
 40.00 Let a post for the cor. to 1/4 sec. from which a
 Castaspas 7 in dia. bears N47 E. 12 miles dist; to
 Ironworks 7 " " " S15 W. 8 " " "
 54.50 Log Poplar 30 in dia Stands in the line.
 80.00 Let a post for the cor. to sec. 19. 20. 29. 30. T. N. 3.
 N. R. N. 2 W. from which a
 Buck 9 in dia bears N30 W. 23 miles dist; to
 Poplar 36 " " " S17 E. 13 " " "
 Can do soil and timber same as with last one.

- North Return Sec. 20. & 19 T. N. 3. N. R. N. 2 W.
 13.00 Iron Run 30 miles mid; corner N60 W.
 33.00 Is a Buck 10 in dia. Stands in the line.
 40.00 Let a post for the cor. to 1/4 sec. from which a
 Buck 20 in dia Stands S69 E. 30 miles dist; to
 Poplar 8 " " " N54 W. 19 " " "
 55.00 Is a Buck 20 in dia Stands in the line.
 80.00 Let a post for the cor. to Sec. 17. 18. 19. & 20. from which a
 Buck 12 in dia bears N30 W. 22 miles dist; to
 Log 18 " " " S52 E. 11 " " "
 Can do soil and timber same as with last one.
 Dec. 20th

- North Return Sec. 17. & 18 T. N. 3. N. R. N. 2 W.
 4.50 Iron Run 50 miles mid; corner W.
 17.80 " " Poplar 10 in dia Stands in the line.
 40.00 Let a post for the cor. to 1/4 sec. from which a
 Poplar 7 in dia bears S27 W. 25 miles dist; to
 Buck 27 " " " N27 E. 15 " " "
 62.50 Iron Oak 12 in dia Stands in the line.
 80.00 Let a post for the cor. to sec. 7. 8. 17. & 18 from which a
 Soft Maple 8 in dia bears N45 W. 15 miles dist; to
 Buck 8 " " " S45 E. 17 " " "
 Healy 2nd rate funds Timber land same (Buck
 T. N. 3. N. R. N. 2 W. 2nd Mer. Ind. 2)

T. N. 3. R. N. 27. 2nd Mer. (S. 1/4)

- North Between Sec. 7 & 8 T. N. 3. R. N. 27.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Beech 11 in. dia. bears N 26 E. 5 links dist; to a
 Dogwood 7 in. — S 26 W. 22 — —
 53.50 To a Poplar 48 in. dia. stands on the line.
 79.00 To a Beech 70 links dist; hence West.
 80.00 Set a post for the cor. to Sec. 5, 6, 7, & 8. from which a
 Beech 8 in. dia. bears N 28 W. 10 links dist; to
 Do 12 in. — — S 26 E. 19 — —
 Cords run continue same as on the last mile.

- North Between Sec. 20 & 21. T. N. 3. R. N. 27.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 W. Walnut 10 in. dia. bears N 48 E. 7 links dist; to
 Beech 11 — — — S 22 W. 32 — —
 69.50 To a Poplar 24 in. dia. stands on the line.
 80.00 Set a post for the cor. to Sec. 16, 17, 20, & 21. from which
 a Beech 12 in. dia. bears N 37 W. 28 links dist; to
 Do 10 — — — S 18 E. 10 — —
 Cords run and timber same as on the last mile.

- North Between Sec. 16 & 17. T. N. 3. R. N. 27.
 13.00 To a good Spring running off S 45 W.
 36.25 To a Beech 11 in. dia. stands on the line.
 40.50 Set a post for the cor. to 1/4 sec. from which a
 Beech 11 in. dia. bears S 82 W. 10 links dist; to
 66.00 To a Beech 18 in. dia. stands on the line.
 80.00 Set a post for the cor. to Sec. 8, 9, 16, & 17. from which
 a Sugar 8 in. dia. bears S 82 E. 10 links dist; to
 Dogwood 7 in. — — N 82 W. 15 — —
 Cords run and timber same as on the last mile.

- North Between Sec. 8 & 9. T. N. 3. R. N. 27.
 31.35 To a Sugar 15 in. dia. stands on the line.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Poplar 8 in. dia. bears S 38 W. 9 links dist; to

T. N. 3 N. R. No 2 W. 2nd Mer. (Sub 4.)

40.75 To — in the beam N 14 W. 23. timber with
 80.00 To a post for the cor. to Sec. 4, 5, 8, 9 from which
 a Sugar Elm in the beam N 17 E. 23 timber with 10
 10 7 a — — S 74 E. 16 a —
 Sand soil and timber same as on the last mile.

West Between Sec. 5 & 8. T. N. 3. N. R. No 2 W.
 40.50 To a post for the cor. to 1/4 sec. from which a
 Sugar Elm in the beam S 69 E. 28 timber with 10
 Beech 12 a — — N 45 W. 8 a —
 51.00 To a Beech 50 timber with; same S 86 W.
 80.00 To the post set for the cor. to Sec. 5, 6, 7 & 8.
 Sand soil and timber same as on the last mile.

West Between Sec. 9 & 16. T. N.
 40.00 To a Beech 10 in the beam for the cor. to 1/4 sec.
 80.00 To the post set for the cor. to Sec. 8, 9, 16 & 17.
 Healthy 2nd rate; Timber Oak & some Beech.

West Between Sec. 8 & 17. T. N. 3. N. R.
 40.00 To a Beech 6 in the beam for the cor. to 1/4 sec.
 80.00 a — the post set for the cor. to Sec. 7, 8, 17 & 18.
 Sand soil and timber same as on the last mile.
 Dec 21st.

West Between Sec. 7 & 18. T. N. 3. N. R. No 2 W.
 40.00 To a post for the cor. to 1/4 sec. from which a
 Dogwood. 7 in the beam S 57 W. 7 timber with; 10
 Beech 20 a — — N 71 E. 41 a —
 80.00 To the post set for the cor. to Sec. 12 & 13. T. N. 3. N. R.
 N. 3 W. Sand soil and timber same as on the last mile.
 7 Ponderosa. 4 in 26 timber N. of the post

North Between Sec. 5 & 6. T. N. 3. N. R. N. 3 W.
 7.00 To a Beech 50 timber with; same N. 20 W.

147

T^N 3 N^R 27^R 2nd Mer. Ind^a.

- 10.00 To a Oak 24 in dia stands in the line
 40.00 To a Poplar 5 in dia stands for the cor. to 1/4 sec.
 49.00 To a Birch 50 in dia near corner N. W.
 52.00 To a Oak 24 in dia stands in the line.
 80.00 To the section the N. 1/2 of T^N 3 N^R 27^R.
 at the post set for the cor. to Sec. 31 & 32 T^N 4 N.
 R. 27^R. From which a
 Submerse 8 in dia line S 82 E. 5 in dia cast; to
 go 7 in dia N 82 W 5 in dia
 Sand soil and timber same as on the last mile.

- N 72 W From the post on Freeman's line Sec. to Sec. 4 & 5
 16.00 Set a post cor. to Sec. 5 & 32. T^S 3 & 4 N^R 27^R.
 Sand & Willow mud. good soil; Timber Birch Oak
 and Poplar.

- N 72 W From the above post
 66.50 To post set for the cor. to Sec. 31 & 32.

- N 72 W From the above post.
 83.80 To the post set for the cor. to Sec. 31 in Range line
 between Ranges 2 & 3.

- East Between Sec. 32.15 & T^S 3 & 4 N^R 27^R.
 40.00 To a Birch 11 in dia stands for the cor. to 1/4 sec.
 64.00 Set a post on Freeman's line cor. to Sec. 32. T^N 4
 N^R 27^R. & Sec. 5 T^N 3 N^R 27^R from
 which a Birch 10 in dia line S 60 E 19 in dia cast;
 and a Spruce 16 in dia N 60 W 23 in dia
 Sand soil and timber same as on the last mile.

- West Between Sec. 31. T^N 4 N^R 27^R & Sec. 6. T^N 3 N.
 R. 27^R.
 40.00 To a Birch 8 in dia stands for the cor. to 1/4 sec.
 80.39 To the post set for the cor. to Sec. T^S 3 & 4 N^R 27^R.
 & T^S 3 & 4 N^R 27^R. Sand soil & timber same

T. N. 3 N. R. N. 27. 2nd Mer. Ind.

North Between Sec. 4 & 5 T. N. 3 N. R. N. 27.

10.00 To a Run 50 links across West

40.00 To a Run 8 in dia. Stands for the cor. to 1/4 sec.

79.00 Set a post in Run and line for the ^{cor.} 4 & 5. From
 which a Run 12 in dia. line S 42 E 18 links with
 under 10.48 n. n. n. N 35 W. 12 n. n. n.
 With 2nd rate land Timber Oak & Beech.

West Between Sec. 4 & 9. T. N. 3 N. R. N. 27.

3.00 To a Run 50 links wide; across West.

40.00 To a Run 18 in dia. Stands for the cor. to 1/4 sec.

80.00 To a Run 50 links wide; ^{across} for the cor. to Sec. 4 & 5. S 79.Land Keithy Beech, Oak, &c. 2nd rate;

West Between Sec. 6 & 7. T. N. 3 N. R. N. 27.

2.00 To a Run 50 links wide; across N 10 W.

40.00 Set a post for the cor. to 1/4 sec. from which a
 Run 12 in dia. line N 30 E 21 links with; to
 10 n. n. n. East 30 n. n. n.

80.00 To the post set for the cor. to Sec. 6 & 7.

Land Keithy & Timber Beech, Oak, &c. 2nd rate.

North Between Sec. 35 & 36. T. N. 3 N. R. N. 27.

40.00 Set a post for the cor. to 1/4 sec. from which a
 Run 15 in dia. line South 12 links with to
 Run 20 n. n. n. N 59 E. 22 n. n. n.

53.60 To a Poplar 30 in dia. Stands in the line.

80.20 Set a post for the cor. to Sec. 25, 26, 35 & 36. T. N. 3
 N. R. N. 27. from which a
 Run 16 in dia. line N 57 W. 28 links with; to
 N Walnuts 10 n. n. n. N 64 W. 22 n. n. n.
 Land 3rd rate; Keithy Oak &c.

North On the East Boundary of Sec. 36. T. N. 3 N. R. N. 27.

31.50 To a Run 36 in dia. Stands in the line.

T. N. 3 N. R. 27. 2nd Mer. Ind.

- 40.00 To a Buck 12 in dia. Stands in the line.
 49.00 To a W. Oak 18 in dia. Stands in the line.
 80.00 Set a post for the cor. to Sec. 25 & 36. T. N. 3. N. R. 27.
 2 W. from which a Sugar 8 in dia. bears S 30 W. 22 the
 dist; and a Poplar 7 in dia. bears N 19 W. 13 links dist.
 Lands 2nd rate Hills Timber Oak, Some Poplar, Sugar,
 1/3 Walnut &c

- North On the East Boundary of Sec. 25 T. N. 3 N. R. 27.
 32.50 To a W. Oak 18 in dia. Stands in the line.
 40.00 Set a post for the cor. to 1/4 Sec. from which a
 W. Walnut 7 in dia. bears N 11 E. 18 links dist. and a
 Cassia 7 in dia. bears S 16 W. 14 in dia.
 73.00 To a B. Oak. 36 in dia. Stands in the line.
 80.00 Set a post for the cor. to Sec. 24 & 25 from which a
 Sugar 12 in dia. bears N 10 E. 16 links dist. & a
 W. Oak 12 in dia. bears S 77 W. 30 in dia.
 Lands lie in flat ridges 2nd rate Hill lands

- West Return Sec. 25 & 36. T. N. 3 N. R. 27.
 40.00 Set a post for the cor. to 1/4 Sec. from which a
 Buck 18 in dia. bears S 78 E. 20 links dist; & a
 Sugar 10 in dia. bears N 66 W. 27 in dia.
 80.00 To the post set for the cor. to Sec. 25, 26. 35 & 36.
 Lands Hill 2nd rate; Timber Oak, & Some Buck &c.

Freeman's Line

- Westerly On Freeman's Line from the post set for the cor. to
 Sec. 7 in Range N. 1 & Sec. 12 in Range N. 2 W.
 84.50 To the post set for the cor. to Sec. 11 & 12.

- N. 71.30 W. From the above post.
 16.00 To the post set for the cor. to Sec. 2 & 11. T. N. 3. N. R. 27.

- N. 71.30 W. From the above post.
 68.10 To the post set for the cor. to Sec. 2 & 3. T. N. 3. N. R. 27.

T. N. 3. N. R. N. 27. 2nd Mer (Ind.)

N 71 1/2 W From the above post

84.75 To the post set for the cor. to Sec. 3 & 4. T. N. 3. N. R. 27.

N 71 1/2 W From the above post

84.67 To the post set for the cor. to Sec. 4 & 5.

Surveyed by
C. J. Spurr & Stone.

North Return Sec. N. 11. & 12. T. N. 3. N. R. N. 27.

39.00 To a Brook 10 miles wide; Corner West

40.00 To the post set for the cor. to 1/4 Sec.

80.00 Set a post for the cor. to Sec. 1. 2. 11. 12. T. N. 3. N. R.
N. 27. 2nd Mer from which a

Hickory 6 in dia bears S 50 E. 4 miles dist; & a

Oak 8 " " " S 81 W. 15 " "

This mile over Hilley lands; Timber Oak, Poplar, &c

East On a New line between Sec. 1. & 12. T. N. 3. N.
R. N. 27.

27.00 To a Brook 10 miles wide; Corner South.

40.00 Set a temporary post for the cor. to 1/4 Sec.

80.00 Intersect the N-S line 10 1/4 miles East of the
post set for the cor. to Sec. 1. & 12.

Cedar & oak made timber same as in the last mile.

West On the true line between Sec. 1. & 12. T. N. 3. N. R. N. 27.

41.02 Set the temporary post at the above dist. on the true line
for the cor. to 1/4 Sec. from which a

Beach 10 in dia bears S 80 W. 12 miles dist; & a

Oak 9 " " " North 17 " "

82.04 To the post set for the cor. to Sec. 1. 2. 11. & 12

North Return Sec. 3 & 4. T. N. 3. N. R. N. 27.

40.00 Set a post for the cor. to 1/4 Sec. coincides with the
old 1/4 Sec. cor.

151

T. N. 3 N. R. N. 27. 2nd Mer. (Sec. 1.)

79.78 Intersect the N. Boundary of T. N. 3 N. R. N. 27.
480 yards West of the post set for the cor. to sec.
33 & 34 T. N. 4 N. R. N. 27. and set a post for
the cor. to sec. 3 & 4. From which a
Poplar 8 in. dia. bears S 48 E. 8 miles dist; &
do 9 " " " N 38 E. 13 " "
Over very hilly lands; Timber Buck Oak, & White

North Between Sec. 3 & 2. T. N. 3 N. R. N. 27.
40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
W. Oak 20 in. dia. bears East 8 miles dist;
80.50 Intersect the N. Boundary of T. N. 3 N. R. N. 27.
350 yards West of the post set for the cor. to sec. 34
& 35. T. N. 4 N. R. N. 27. and set a post for the cor.
to sec. 2 & 3. From which a
Buck 12 in. dia. bears S 45 W. 18 miles dist; and a
do 15 " " " N 4 W. 17 " "
Very Hilly Lands;

West On a Random line between Sec. 2 & 11. T. N. 3 N. R.
N. 27.
40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
82.18 Intersect the N. & S. line 166 yards N. of the post set
for the cor. to Sec. 2, 3, 10, 11.
Lands soil and timber same as in the last mile.

East On the true line between Sec. 2 & 11. T. N. 3 N. R. N. 27.
N. 2nd Mer.
41.09 Set the temporary post at the corner with the true line for
the cor. to $\frac{1}{4}$ sec. From which a
B. Walnut 6 in. dia. bears S 7 W. 6 miles dist; and
Elm 6 " " " N 26 W. 7 " "
82.18 Set the post set for the cor. to sec. 1, 2, 11, & 12.

North Between Sec. 1 & 2 T. N. 3 N. R. N. 27.
1.10 Set a W. Oak 20 in. dia. stands on the line.

T. N. 3 N. R. N. 2 W. 2nd Mer. (Ind.)

- 28.00 Fork Brook 10 miles min; Lemma West
 40.00 Got the first spr for the cor. to $\frac{1}{4}$ sec. from which
 W. Oak 20 in. dia. bears S59E. 13 miles dist; 10
 W. Oak 20 in. " " S44E. 43 in. " "
 79.40 Intersected the S. 1 Boundary of T. N. 3 N. R. N. 2 W.
 197 miles West of the first spr for the cor. to sec. 35 & 36
 T. N. 4 N. R. N. 2 W. and set a post for the cor. to sec.
 1 & 2. From which
 Hickory 10 in. dia. bears S41E. 25 miles dist; 10 in.
 Logwood, Ca. " " N41W. 17 in. " "
 Same dist. made to timber line as on the last mile.

Surveyed by
 Arthur Hennrich, D.S.
 South Boundary.

- West On the South Boundary of Sec. 36. T. N. 3 N. R. N. 2 W. 2nd Mer.
 40.00 Marked the cor. to $\frac{1}{4}$ sec. on a W. Oak 20 in. dia.
 80.00 Set a post for the cor. to sec. 35 & 36 T. N. 3 N. R. N. 2 W. from which
 Sugar 10 in. dia. bears N43E. 13 miles dist; 8 in.
 Beech 13 in. " " S80W. 35 in. " "
 Same dist. of 2nd Mer. (Ind.); Spl. lands; Timber Beech & Oak

- West On the South Boundary of Sec. 35 T. N. 3 N. R. N. 2 W.
 24.00 Fork Beech 8 in. dia. stands in the line.
 40.00 Marked the $\frac{1}{4}$ sec. on a Beech
 80.00 Set a post for the cor. to sec. 34 & 35 T. N. 3 N. R. N. 2 W. from which
 W. Oak 8 in. dia. bears S57W. 15 miles dist; 1 in.
 Ironwood, Ca. " " N49E. 14 in. " "
 Poor Hilby lands; Timber Beech & Oak

- West On the South Boundary of Sec. 34. T. N. 3 N. R. N. 2 W. 2nd Mer.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which

T. No 3. N. H. No 2 W. 2nd Mer (Sud.)

- Red Oak 16 in dia beam N 5 E 9 links dist; to
 Bush 12 n n n N 11 E 9 n n
 80.00 Set apart for the cor. to Feb. 33. & 34 T. No 3 N.
 H. No 2 W. from which a
 Bush 7 in dia beam N 84 E. 21 links dist; to
 Ho 18 n n n S 42 W. 18 n n
 Last 1/4 corner at small drain 4 links wide; note;
 3rd rate; Kelly's Pond; Timber Bush & Oak;
 T. Random Feb 125 links North of the post.
 Dec 13th.

- West On the South Boundary of Sec. 33. T. No 3. N. H.
 No 2 W.
 40.00 Set apart for the cor. to 1/4 sec. from which a
 Bush 10 in. dia beam N 71 W. 17 links dist; to
 Ho 7 n n n S 71 E 17 n n
 80.00 Set apart for the cor. to Feb. 32. & 33. T. No 3. N. H.
 No 2 W. 2nd Mer. Sud. from which a
 Bush 13 in. dia beam N 45 E. 8 links dist; to
 Ho 7 n n n S 7 E. 18 n n
 no description of Land & Soil & Timber

- West On the South Boundary of Sec. 32 T. No 3. N.
 H. No 2 W.
 40.00 Set apart for the cor. to 1/4 sec. from which a
 Poplar 8 in. dia beam S 82 W. 25 links dist; to
 80.00 Set apart for the cor. to Feb. 31. & 32 T. No 3. N. H. No.
 2 W. 2nd Mer. from which a
 Gum 20 in. dia beam N 79 E. 4 links dist; to
 B. Oak 7 n n n S 79 W. — 3rd rate

- West On the South Boundary of Sec. 31. T. No 3. N. H. No 2 W.
 40.00 Set apart for the cor. to 1/4 sec. from which a
 Elm 8 in. dia beam S 52 W. 10 links dist; to
 Bush 11 n n n N 52 E. 10 n n
 80.00 To the post set for the cor. to Sec. 1. 6. 31. 36. T. 3. 3. 2. 2. N. 2 W.

T. N. 3. N.R. N. 27. 2nd Mer (Ind.)

West Boundary.

North On the East Boundary of Sec. 36 T. N. 3. N.R. N. 37. 2nd Mer.

1.75 Iron Buck 12 in dia. stands in the line

3.17 Iron Elm 10 in dia. stands in the line

28.34 " " Buck 14 " " " " " "

31.00 Iron Buck 14 in dia. stands in the line

40.00 Iron Buck 17 in dia. stands for the cor. to 1/4 sec.

80.00 Full 10 miles East of the Random post and set a post for the cor. to Sec. 25 & 36. T. N. 3. N.R. N. 37.

From which a W. Oak 17 in dia. bears S 84° W. 47

miles dist; to Sugar 10 " " " N 52° E. 27.

" " Irons all killed by fire; much more about

North On the East Boundary of Sec. 25 T. N. 3. N.R. N. 37.

14.30 Iron Buck 18 in dia. bears in the line

29.48 To a Sugar 14 " " " " " "

40.00 Set a post for the cor. to 1/4 sec. From which a

Sugar 14 in dia. bears S 71° E. 21 miles dist; to

Dogwood 8 " " " N 16° E. 8 " " "

42.30 To a Sugar 16 in dia. stands in the line.

80.00 Set a post for the cor. to Sec. 24 & 25 T. N. 3. N.R. N.

37. From which a

Elm 8 in dia. bears N 39° W. 17 miles dist; to

Do 8 " " " S 48° E. 8 " " "

North On the East Boundary of Sec. 24 T. N. 3. N.R. N. 37.

12.93 Iron Buck 10 in dia. stands in the line

40.00 Set a post for the cor. to 1/4 sec. From which a

W. Walnut 10 in dia. bears S 5° W. 22 miles dist; to

Poplar 5 " " " N 12° W. 13 " " "

43.02 Iron Buck 10 in dia. stands in the line.

53.82 " " " 16 " " " " " "

80.00 Full 50 miles East and 20 miles South of the Random post and set a post for the cor. to Sec. 13 & 24 T. N. 3. N.R. N. 27. From which a

D. N. 3 N. R. N. 277, 2nd Mer. (Ind.)

Sugar 10 in. dia. beam S 9 E. 6 links dist; 10
 Buck 17 " " " N 22 W 40 " "
 Lands steep hills; inequalities of soil; Timber
 Buck, Oak &c.

North On the East Boundary of Sec. 13. T. N. 3 N. R. N. 37.
 5.00 To a Buck 50 links wide; Corner West
 10.45 To a Sugar 12 in. dia. St. under in the line.
 31.56 To a W. Oak 30 " " " " " "
 40.00 Set apart for the cor. to 1/4 sec. from which a
 W. Oak 18 in. dia. beam S 20 E. 30 links dist; 10
 Do 18 " " " N 69 W 36 " "
 49.72 To a Buck 24 in. dia. beam in the line
 52.00 To a Brook 14 links wide; Corner S. W.
 67.74 To a Gum 16 in. dia. St. under in the line.
 70.00 Set apart for the cor. to 1/4 sec. 12 & 13. T. N. 3 N. R. N. 37.
 17. From which a Buck 12 in. dia. beam S 46 E. 18
 links dist; to W. Oak 24 " " " N 65 W 18
 " " Lands hilly; soil unequal; Timber
 Buck Oak &c.

North On the East Boundary of Sec. 12 T. N. 3 N. R. N. 37.
 15.65 To a Buck 10 in. dia. St. under in the line.
 40.00 Set apart for the cor. to 1/4 sec. from which a
 Buck 14 in. dia. beam S 80 E. 20 links dist; 10
 Do 7 " " " N 54 W. 13 " "
 41.25 To a Buck 17 in. dia. St. under in the line.
 66.54 To a W. Oak 24 " " " " " "
 80.00 Set apart for the cor. to Sec. 1 & 12. from which a
 Buck 6 in. dia. beam S 80 W. 8 links dist; 10
 Sugar 16 " " " N 50 E. 16 " "
 Good soil of hilly lands; Timber Oak, Buck,
 Sugar &c. &c.

North On the East Boundary of Sec. 1. T. N. 3 N. R. N. 37.
 13.50 To a Brook 50 links wide; Corner West

T. N^o 3. N.R. N^o 27. 2nd Mer. (Ind.⁴)

- 14.54 Toat Beech 22 in dia stands in the line
 31.10 n y W Oak 20 a n a n a n a n
 40.00 Lot apart for the cor. to $\frac{1}{4}$ sec. from which a
 Dogwood 7 in. dia bears N70 W. 15 huts dist
 W. Oak 9 n a n N88 E. 29 n a
 Beech bottom in the North side; kerak.
 44.10 Toa Poplar 40 in dia stands in the line.
 80.00 Lot apart for the cor. to same 384. N.R. angles
 283 W. from which a
 Beech 16 in dia bears N42 W. 20 huts dist to
 Mulberry 8 n a n S56 E. 26 a n
 Kellys Lands; goods soil; Timber Beech, Oak, Poplar
-

East Boundary.

In Harvins Purchase

- North From the cor. to lot. 12. & 13. T. N^o 3. N.R. N^o 27.
 on the East Boundary of lot. 12.
 40.00 To the first lot for the cor. to $\frac{1}{4}$ sec.
 80.00 Lot apart for the cor. to lot. 1. & 10. T. N^o 3. N.R. N^o 27.
 from which a Dogwood 6 in dia bears S46 E. 16 huts
 dist; under Beech 10 n a n N6 E. 16 n
 this mile over Kellys Lands; Timber Beech, Oak,
 Heph. 7 c. undergrowth Spine, Dogwood, &
 Callaprae &c
-

- North On the East Boundary of lot. N^o 1. T. N^o 3. N.R.
 N^o 27.
 40.00 Lot apart for the cor. to $\frac{1}{4}$ sec. from which a
 Dogwood 6 in dia bears N22 E. 5 huts dist to
 Dogwood 6 n a n S10 E. 25 n a
 80.00 Lot apart for the cor. to lot. 1. 6. 31. 36. T^o 33. & 44.
 on N^o 1. & 27. from which a

T. N. 3. M. N. 27. 2nd Mer. (Ind.) ¹⁵⁷

73-Oak 30 in dia trunk N64E. 29 mbs dist; 70
 Sugar 12 " " " S22W. 4 " "
 Lando pit under timber some as with last pit.

North Bond. 7 in Harrison's Purchase
West On a Random line in the South Bond. 7 of sec 36. T.
N. 4 N. R. N. 27.

40.00	Get a temporary post for the cor. to '14 sec.
80.00	Get a " " " " " & Sec. 35. & 36. T. N. 4 N. R. N. 2 W. This mile over Healy lands; Timber Creek Sugar & Healy.

West On a Round. hair on the South (Dinner) 30 p.m. 35
J. N. 4 N. R. N. 2 17.

4000 Set apart temp^y for the cor. to 1/4 cu.
8000 u u u u u u u u u u Feb. 34. 135.
7 N^o 4 N. R. N^o 277. Same soil and timber
Same as the last mile; B.g. Spr Oak, Hick^o.
Dogwood &c.

West On a line down line on the South Boundary of sec 34
T. N. 4. N. R. N. 27.

40.00 Set a trap^s post for the cor. to $\frac{1}{4}$ sec.
81.00 " " " " " " " " Des. 33 & 34 T M
24 N N R. No 27. Laid do soil under timber Secum.

West On a Random line on the South Bound. of Sec 33.
T. N. 4 N. R. N. 2 W.

40.00	Got a temporary Post from the com. to 1/4 Dec.
80.00	" " " " " " " " Recd 32.133 J ^r .
	4 N.R. No 27. Enclosed the same Keithly

West Oak Canyon line On the South Branch of ca. 32
T. N. 4 N. R. N. 177.

15.00 Toak Brook 12 miles out; Conna I.M.
46.00 Set apart for the cor to the 'H. en. (comp)

T. N^o 3. N. R. N^o 2 W. 2nd Min (Sud. ^u)

81.10 Get the temporary post for the cor. to sec. 31. 132 T. N^o 4 N. R. N^o 2 W.

84.50 Set up and make timber line. as in the last min
Full South of the cor. to sec. 31. 132 T. N^o 4 N.
R. N^o 2 W

East On the true line from the cor. to sec. 31. 132 T. N^o 4
N. R. N^o 2 W. in 6.00 Var.

4.50 Get post at the exact distance of 5 miles from the
East Boundary of the Township for the cor. to sec.
31. 132 T. N^o 4 N. R. N^o 2 W. from which a
W. 10. in dis. bears N 10 E. 6 miles dist; to
Beck 20 n n n N 55 E 10 n n

East On the true line in the South Boundary of sec. 32
T. N^o 4 N. R. N^o 2 W.

40.00 Get the temporary post on the true line for the cor. to 1/4
Sec from which a
Beck 20 in dis. bears S 27 W. 27 miles dist; to
W Oak 20 n n n S 54 W 31 n n

81.00 Get a post for the cor. to sec. 32. 133. T. N^o 4 N.
R. N^o 2 W. and make the cor. to sec. 31. 132.
on a sugar 10 in dis.

East On the true line in the South Boundary of sec. 33. T.
N^o 4 N. R. N^o 2 W.

40.00 Get a post for the cor. to 1/4 sec. on the true line from which
a Beck 28 in dis. bears S 23 W. 43 miles dist; to
Sugar 12 n n n N 1 W 8 n n

81.00 Get a post for the cor. to sec. 33. 134. T. N^o 4 N. R.
N^o 2 W. from which a
Logwood 6 in dis. bears N 57 E 10 miles dist; to
Ho 6 n n n S 4 W 10 n n

East On the true line in the South Boundary of sec. 34. T. N^o
4 N. R. N^o 2 W.

T. N. 3 N. R. N. 27. 2nd Mer (Ind. 4)

- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Buck 10 in. dia. bears S 32 W 15 miles dist; 10
 W Oak 24 n n n N 11 W 22 n n
 80.00 Set a post on the true line for cor. to Sec. 34 & 35 T. N. 4
 N. R. N. 27. from which a
 Buck 10 in. dia. bears S 62 E. 37 miles dist; 10
 Do 6 n n n N 6 W 18 n n

East On the true line on the South Boundary of Sec. 35 T. N. 4
 N. R. N. 27.

- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. on the true line from which
 a Buck 10 in. dia. bears N 50 E 28 miles dist; 10
 W Walnut 6 n n n S 10 W 20 n n
 80.00 To a sugar 20 in. dia. stands for the cor. to Sec. 35 & 36 T. N.
 T. N. 4 N. R. N. 27.

East On the South Boundary of Sec. 36 T. N. 4 N. R. N. 27

- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 W Oak 10 in. dia. bears S 76 E. 32 miles dist; 10
 Sugar 8 n n n N 14 E. 14 n n
 80.00 To the post set for the cor. to Town 33 & 44 N. R. 11 W.
 Surveyed by
 Arthur Winnie. Rep. J. Sur.

I certify that the foregoing transcript of the
 field notes of Township N. 3. North of Range
 N. 2 West of the 2nd Mer. Indiana has been
 compared with the original notes in this Office and
 is correct;

Surveyor General's Office,
 Cincinnati, Dec. 30th 1839.

E. S. Cairnes
 Sur. Genl.